Interconnection Application

Persons interested in applying for the interconnection of a distributed energy resource to the Utility's distribution system through the Fast Track or Study Processes are to fill out this Interconnection Application. The Interconnection Application is to be filled out completely by the applicant or as noted in each section of the application. The Utility will contact the applicant within 10 business days once the Interconnection Application and the corresponding processing fee is submitted to the Utility. The Utility will then notify the applicant of the completeness of their application. If the application is deemed incomplete by the Utility, the Utility will provide the applicant with a list of missing material. The applicant will then have 10 business days to provide the Utility with this information or request an extension, otherwise the application will be deemed incomplete and the applicant will lose their place in the queue. Section that are noted with * are required to be filled out.

Checklist for Submission to Utility The items below shall be included with submittal of the Interconnection Application to the Utility. Failure to include all items will deem the Interconnection Application incomplete. Included Non-Refundable Processing Fee Fast Track • \$100 + \$1/kW for Certified Systems ☐ Yes • \$100 + \$2/kW for Non-Certified Systems Study Process • \$1,000 + \$2/kW down payment. Additional study fees may apply. One-line diagram • This one-line diagram must be signed and stamped by a Professional Engineer licensed in Minnesota if the DER is uncertified greater than 20 kW ☐ Yes AC or if certified system is over 250 kW. • Details required on one-line diagram specified at the end of the interconnection application. Schematic drawings for all protection and control circuits, relay current circuits, ☐ Yes relay potential circuits, and alarm/monitoring circuits ☐ Yes Inverter Specification Sheet(s) (if applicable) Documentation that describes and details the operation of protection and control ☐ Yes schemes Documentation showing site control ☐ Yes ☐ Yes Aerial map showing DER system layout including major roadways and true north Possible Additional Documentation If the DER export capacity is limited, include information material explaining the limiting capabilities. • If Energy Storage is included with the proposed DER system include the Energy Storage Application.

General *					
Select Review Proce	ess: 🗆 Fast Track Pr	ocess		Study Proces	S
Application is for:	· · · ·				ial Modification rgy Resource
If Capacity Addition	or Material Modification to exis	sting facili	ty, please de	escribe:	
Distributed Energy I	Resource will be used for what r	eason? (C	Check all tha	t apply):	
<u> </u>		,			
☐ Net Metering	☐ Supply Po	wer to Int	erconnectio	n Customer	
☐ Supply Power to	Area EPS				
Installed DER Syster	m Cost (before incentives):		\$		
Interconnection	Customer *				
Full Name (must ma	atch the name of the existing se	rvice acco	unt):		
					_
Account Number:		Meter N	r Number:		
Mailing Address:					
City:			State	:	Zip Code:
Email:			Phon	e:	

^{*} Indicates section must be completed.

Application Agent *						
Is the Customer using an Application Agent for this application?						
If Interconnection Customer is not using an Application Age	ent, please skip to the next section.					
Application Agent:						
Company Name:						
Email:	Phone:					
	1					
Distributed Energy Resource Information *						
Estimated Installation Date:						
Location (if different from mailing address of Interconnection Co	ustomer):					
Will the Proposed DER system be interconnected to an existing	electric service? ☐ Yes ☐ No					
Is the Distributed Energy Resource a single generating unit or m	nultiple?					
DER Type (Check all that apply):						
☐ Solar Photovoltaic ☐ Wind	☐ Energy Storage					
☐ Combined Heat and Power ☐ Solar Thermal	☐ Other (please specify					
DER systems with Energy Storage must also submit the Energ	gy Storage Application to the Utility.					
Total Number of Distributed Energy Resources to be interconnected pursuant to this Interconnection Application:						
□ Cingle Phase □ The						
Thase configuration of bistributed Energy Resource(s).						
Type of Generator:						
Aggregate DER Capacity (the sum of nameplate capacity of all generation and storage devices at the PCC):						
kW _{ac}	kVA					

^{*} Indicates section must be completed.

Export Capacity Limitation *					
Is the export capability of the DER limited?		☐ Yes	□ No		
If the DER export capacity is limited, complete the j	-	oclude informat	tion material		
Maximum Physical Export Capacity Requested:			kW _{ac}		
If Yes, please provide additional details describing r	method of export limitat	tion:			
Load Information *					
Interconnection Customer's or Customer-sited Load: kW					
Typical Reactive Load (if known):					
Equipment Certification *					
Is the DER equipment certified?	Is the DER equipment certified? ☐ Yes ☐ No				
Please list all IEEE 1547 certified equipment below. Include all certified equipment manufacturer specification sheets with the Interconnection Application submission.					
Equipment Type Certifying Entity					
1					
2					
3					
4					

^{*} Indicates section must be completed.

Prime Mover *						
Please indicate the prime mov	ver:					
☐ Solar Photovoltaic	☐ Microturb	ine	☐ Fu	☐ Fuel Cell		
☐ Reciprocating Engine	☐ Gas Turbir	ne	□ Ot	her (ple	ease specif	y)
Is the prime mover compatible	e with certified prote	ction equipr	nent packag	e?	□ Yes	□No
DER Manufacturer:	Model Name	& Number:		Versio	n:	
List of Adjustable Set Points fo	or Protection Equipm	ent or Softw	are:			
Summer Name Plate Rating:	kW _{ac}	Summer Na	ame Plate Ra	late Rating: kW_{ac}		
Winter Name Plate Rating: kVA _{ac} Winter Name Pl		ne Plate Rat	te Rating: kVA _{ac}			
Rated Power Factor: Leadin	ng:	Laggi				
A completed Power System Load Flow data sheet must be supplied with the Interconnection Application.					ction	
Only appropriate secti	ions beyond this poin	t until the si	gnature pag	e are to	be comple	eted.
Distributed Energy Resource	e Characteristic Da	ita (for Inve	erter-based	machi	nes)	
Max design fault contribution	current:					
Is your response to the previous field an Instantaneous or RMS measurement?				☐ Instantaneous ☐ RMS		
Harmonic Characteristics:						
Start-up Requirements:						

^{*} Indicates section must be completed.

Distributed Energy Resource Characteristic Data (for Synchronous machines)				
RPM Frequency:	Neutral Grounding Resistor:			
Direct Axis Synchronous Reactance, X_d :	Zero Sequence Reactance, X_0 :			
Direct Axis Transient Reactance, X'_d :	KVA Base:			
Direct Axis Subtransient Reactance, X_d'' :	Field Volts:			
Negative Sequence Reactance, X_2 :	Field Amperes:			

Please provide the appropriate IEEE model block diagram of excitation system, governing system and power system stabilizer (PSS) in accordance with the regional reliability council criteria. A PSS may be determined to be required by applicable studies. A copy of the manufacturer's block diagram may not be submitted.

Distributed Energy Resource Characteristic Data (for Induction machines)					
RPM Frequency:	Neutral Grounding Resistor:				
Motoring Power (kW):	Exciting Current:				
Heating Time Constant:	Temperature Rise:				
Rotor Resistance, R_r :	Frame Size:				
Stator Resistance, R_s :	Design Letter:				
Stator Reactance, X_s :	Reactive Power Required In Vars (No Load):				
Rotor Reactance, X_r :	Reactive Power Required In Vars (Full Load):				
Magnetizing Reactance, X_m :	Total Rotating Inertia, H:				
Short Circuit Reactance, X_d'' :					

Interconnection Facilities Information							
Will a transformer be used between the DER and the Point of Common Coupling?						□ Yes	□No
Will the transformer be provided by the Interconnection Customer? If yes, please fill in the fields below.					□ Yes	□ No	
Proposed location of protective interface equipment on property:							
Transformer Data (For In	terconne	ection Customer-C	wned	Transforme	er)		
What is the phase config	uration c	of the transformer	·?		☐ Sing	le Phase	☐ Three Phase
Size (kVA):		Transformer Imp	oedan	ce (%):	On kVA	Base:	
Transformer Volts: (Primary)	Delta:		Wye	:		Wye Gro	ounded:
Transformer Volts: (Secondary)	Delta:		Wye	:		Wye Grounded:	
Transformer Volts: (Tertiary)	Delta:	Delta: Wye:		:		Wye Grounded:	
Transformer Fuse Data (I	For Interd	connection Custor	ner-O	wned Fuse)			
Manufacturer:	Type:		Size:			Speed:	
Interconnecting Circuit B	reaker (F	or Interconnectio	n Cust	tomer-Owne	ed Circuit	Breaker)
Manufacturer:			Туре	:			
Load Rating (in Amps):		Interrupting Rat	ing (In	Amps):	Trip Speed (Cycles):		es):
Interconnection Protective Relays (For Microprocessor Controlled Relays)							
Setpoint Function			Minimum			Maximum	

Interconnection Protective Relays (For Relays with Discrete Components)						
Manufacturer:	Туре:		Style/Catalog No.:		Proposed Setting:	
Manufacturer:	Туре:		Style/Catalog No.:		Proposed Setting:	
Manufacturer:	Туре:		Style/Catalog No.:		Proposed Setting:	
Manufacturer:	Type:		Style/Catalog No).:	Proposed Setting:	
Manufacturer:	Type:		Style/Catalog No.:		Proposed Setting:	
Current Transformer I	Data:					
Manufacturer:	Туре:	Accur	racy Class: Propo		sed Ratio Connection:	
Manufacturer:	Туре:	Accur	racy Class: Propos		sed Ratio Connection:	
Potential Transformer Data:						
Manufacturer:	Туре:	Accur	acy Class:	Proposed Ratio Connection:		
Manufacturer:	Туре:	Accur	acy Class:	Proposed Ratio Connection		
				-		

For Office Use Only			
Application ID:			
Date Received:	Application Fee Received:	☐ Yes	□ No
Date Completed:			

Interconnection Agreement *				
Propose DER interconnections that are also deemed Qualifying Facilities less than 40 kW AC under Minnesota Statute 216B.164 are eligible to sign the Utility's Uniform Contract for Cogeneration and Small Power Production Facilities. Included in this agreement are payment terms for excess power generated by the proposed DER system the Utility may purchase. In lieu of the Utility's Uniform Contract for Cogeneration and Small Power Production Facilities, the Interconnection Customer may choose to instead sign the Utility's Interconnection Agreement.				
The Interconnection Customer requests an Interconnection Agreement to be executed in lieu of the Utility's Uniform Contract for Cogeneration and Small Power Production Facilities.		Yes	□ No	
Disclaimers – Must be completed by Interconnection Customer *	:			
		Ir	nitials	
The Interconnection Customer has opportunities to request a timeline extension				
during the interconnection process. Failure by the Interconnection Customer to				
meet or request an extension for a timeline outlined in the Interconnection Process				
could result in a withdrawn queue position and the need to re-apply.				
Propose DER interconnection to the Utility's distribution submitted under the Fast	t			
Track Process may be moved into the Study Process if engineering screens are failed	ed			
during the Interconnection Application review.				

Application Signature – Must be completed by Interconnection Customer *				
I designate the individual or company listed as my Application Agen agent for the purpose of coordinating with the Area EPS Operators throughout the interconnection process.	•			
I hereby certify that, to the best of my knowledge, the information and that I have appropriate Site Control in conformance with the In abide by the Municipal Minnesota Distributed Energy Resource Interval inform the Utility if the proposed DER system changes from the Interconnection Application.	terconnection Process. I agree to erconnection Process (M-MIP) and			
Applicant Signature:	Date:			
Please print clearly or type and return completed along with a	any additional documentation			

Brainerd Public Utilities

Information Required on One-Line Diagram

An Interconnection Application must include a site electrical one-line diagram showing the configuration of all Distributed Energy Resource equipment, current and potential circuits, and protection and control schemes. The one-line diagram shall include:

- Applicant name.
- Application ID.
- Installer name and contact information.
- Address where DER system will be installed must match application address.
 - O Be sure to list the address for the protective interface equipment if the protective interface equipment is located at a different address than the DER system.
- Correct positions of all equipment, including but not limited to panels, inverter, and DC/AC disconnect. Include distances between equipment, and any labeling found on equipment.

This one-line diagram must be signed and stamped by a Minnesota licensed Professional Engineer if the Distributed Energy Resource is larger than 20 kW (if uncertified) and 250 kW (if certified.)